



चुरे गाउँपालिका
गाउँकार्यपालिकाको कार्यालय
घरखेडा, कैलाली

क्याटलग सपिङ्ग विधिबाट Backhoe Loader खरिद सम्बन्धी

खरिद प्रस्ताव आह्वानको सुचना

प्रस्ताव नं CRM/Goods/CS/01/081/082

प्रथम पटक प्रकाशन मिति २०८१/०५/१८

यस कार्यालयको मिति २०८१/०४/२४ को कार्यपालिकाको निर्णय अनुसार यस कार्यालयका लागि आवश्यक पर्ने Backhoe Loader सार्वजनिक खरिद ऐन २०६३ को दफा ८ को उपदफा (१) को खण्ड (क) को नं (८) र सार्वजनिक खरिद नियमावली २०६४ को नियम ३१ (ख) र उत्पादक वा अधिकारिक विक्रेताद्वारा निर्धारित दरमा (क्याटलग सपिङ्ग) खरिद गर्ने कार्यविधि २०७४ बमोजिम खरिद गर्नुपर्ने भएकाले तपसिल अनुसारको Backhoe Loader विक्री गर्न चाहने उत्पादक वा अधिकारिक विक्रेताहरूले आफ्नो फर्म दर्ता/एजेन्सी/ व्यवसायी दर्ता नविकरण, मु.अ.कर दर्ताको प्रतिलिपि, आ.व २०७९/०८०को कर चुक्ताको प्रमाणपत्रको प्रतिलिपि वा कर चुक्ताको म्याद थप पत्र, अधिकारिक विक्रेताको पत्र समावेश गरि सोहि नियमवलीको नियम ३१ को ख को उपनियम २ बमोजिम Backhoe Loader को अधिकारिक स्पेसिफिकेसन, गुणस्तर, मूल्य र सुविधा सहितको विवरण (क्याटलग वा ब्रोसर) संलग्न गरि यो सूचना प्रकाशन भएको मितिले सात (७) दिन अर्थात मिति २०८१/५/२४ गते अपराहन्न ३ बजे भित्र यस गाउँपालिकाको कार्यालयमा सिलबन्दी प्रस्ताव पेश गर्न हुन सम्बन्धित सबैको जानकारीका लागि यो सूचना प्रकाशन गरिएको छ । साथै प्रस्ताव पेश गर्ने कम्पनि वा फर्मले मालसमान उत्पादन गर्ने कम्पनिको उत्पादनको विशेषता, गुणस्तर र सुविधाको आधारमा तय गरेको थोक विक्री मूल्य र सुविधा सवन्धित कम्पनीको कागजात (ब्रोसर) अनिवार्य राखी पेश गर्नुपर्ने छ । यस सुचनामा उल्लेखित बाहेक अन्यको हकमा सार्वजनिक खरिद ऐन, २०६३ तथा सार्वजनिक खरिद नियमावली, २०६४ अनुसार हुनेछ ।

Notice Number	Type Of Vehicle	Quantity	Requirement
CRM/Goods/CS/01/081/082	Backhoe Loader	1.00	As Mentioned in the technical specification

नोट: विस्तृत विवरण स्पेसिफिकेसन यस कार्यालयको वेबसाइट <https://churemun.gov.np/> मा राखिएको छ ।

प्रमुख प्रशासकीय अधिकृत
देवी प्रसाद अधिकृत
प्रमुख प्रशासकीय अधिकृत

Owner: Chure Rural Municipality

Location: SudurpaschimPardesh,Kailal

Name of Work:Purchasing of Backhoe Loader

Quantity : One

Technical Specifications Of Backhoe Loader

SN	Criteria	Departmental Requirement	Offered Specification
1	General	All wheel drive, rigid frame backhoe loader with Steel cab, suitable for operation under rough working conditions and adverse climatic condition at operating altitude of 2000 m and ambient temperature varying between -5°C to 50°C.	Make: Model: Country of Origin:
2.	Engine	Water Cooled diesel Engine, developing SAE rated Gross HP not less than 91 HP and Torque not less than 390Nm (engine fully equipped with accessories) at governed RPM for efficient full load operation. Back hoe shall be equipped with heavy duty radiator, cold starting device, direct electric starting system, heavy duty battery, heavy duty air cleaner, heavy duty fuel filter, with water trap and drainage in fuel line and drain tap in fuel tank.	Make: Model:
3.	Capacity	<ol style="list-style-type: none">1. Loader: General purpose bucket with bolt on teeth of SAE rated capacity nominally heaped approx 1 cu.m with minimum break out force of 6000 kgf.2. Minimum Dump height: 2720mm3. Backhoe Bucket with bolt on teeth of SAE rated capacity at least 0.30 cu.m. with minimum tear out force 5650 kgf. And following working ranges:<ul style="list-style-type: none">• Minimum working height not less than:6000 mm.	

Handwritten signature

Handwritten signature

		<ul style="list-style-type: none"> • Max digging depth not less than: 4700 mm. • Max digging reach not less than :6900 mm (Ground Level) from rear <p>Axle centre</p> <p>Pay Load: standard</p> <p>Out triggers with controls from cabin shall be provided.</p> <p>4. Stabilizer spread not less than 2 m or Normal Stabilizer</p>	
	Gauges	To include ammeter, water temperature, fuel, oil pressure, transmission and hydraulic gauges as necessary for efficient operation and maintenance.	
5	Transmission	Torque converter with four speed power shift/shuttle type or power shift type range selector of transmission.	
6	Axles	Four wheel drive with fixed rear axle and at least 15° oscillating front axles.	
7.	Tires	Suitable tires with tubes for operating machine in rough road conditions shall be provided.	
8.	Steering	Power assisted.	
9.	Brakes	Hydraulically actuated, wet multiple disc/ caliper disc type service brake and separate parking brake.	
10.	Cab	All steel enclosed cab with laminated glass windscreen insulated roof, suitably located controls for back hoe and loader operation, rear view mirror, cabin light,	

Handwritten signature

Handwritten signature

		wiper and adjustable cushioned seat for operator shall be provided.	
11.	Hydraulics	Suitable hydraulic pumps flow not less than 118 LPM and system pressure not less than 220 Bar for smooth operation of all attachments smoothly.	
12.	Year of manufacture	2024	
13.	Essential Accessories	<ol style="list-style-type: none"> 1. Road lights, work lights and fog lights 2. Cabin Lights 3. Service hour meter <p>Equipped with all accessories offered in standard model but not limited to above items.</p>	
14.	Instructions	All signs and instructions in the equipment shall be in English.	
15	Manuals	<ol style="list-style-type: none"> 1. Copy of the Operator's and Owner's Instructions and Maintenance manual in English shall be supplied with equipment. 2. Copy of following manuals in English shall be supplied with equipment. <ol style="list-style-type: none"> a. Spare Parts Catalogue b. Comprehensive workshop manual 	
16	Tools	A set of tools as required for general maintenance shall be supplied with a lockable tool box.	
17	Color	Orange/Construction equipment yellow or any standard colour.	
18	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance.	
19	Delivery	The BACKHOE LOADER should be delivered to : Chure Rural Municipality Office, Kailali	

WZ


[Red Signature]

--	--	--	--

Note:

1. Bidder is required to submit documentary evidence showing that the manufacturer's representative in Nepal has been providing after sales services for at least past 5 years.
2. The major items are indicated by bold and highlighted letters/ alphabets/figures in the technical specifications. Non-Compliance of these major items will result in non-responsiveness of the bid .

Prepared by:


SATBIR RANA 2029/02/96

Mechanical Engineer

NEC No.(1791)Mechanical

Approved By:



MR. SATBIR RANA
B.Tech (Mechanical Engineering)
Nepal Engineering Council
Reg. No. 1791 Mechanical